

## JC10 Rec'd PCT/PTO 06 MAY 2005

PATENT

ATTORNEY DOCKET NUMBER: 50125/101001

TRANSV.	
Certificate of Mailing: Date of	Deposit:May 4, 2005
	respondence is being deposited with the United States Postal the date indicated above and is addressed to Mail Stop 50. Alexandria, VA 22313-1450.
Colleen Coyne Printed name of person mailing correspondence	Colleen Coyne Signature of person mailing correspondence

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Ingeborg Dreher et al.

Art Unit:

Not yet assigned

Serial No.:

10/530,987

Examiner:

Not yet assigned

Filed:

April 12, 2005

Customer No.:

21559

Title:

**ANTAGONISTS IL-15** 

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

## INFORMATION DISCLOSURE STATEMENT

Applicants submit the references listed on the enclosed Form PTO-1449, copies of which are enclosed, with the exception of U.S. patents and U.S. patent application publications.

Submission of this statement is not a representation that a search has been made, nor is the inclusion of information in this statement an admission that the information is material to patentability.

This statement is being filed within three months of the filing date of the application.

If there are any charges or any credits, please apply them to Deposit Account No. 03-2095.

Respectfully submitted,

Date: 4 May 2005

Karen L. Elbing, Ph.E.


Reg. No. 35,238

Clark & Elbing LLP 101 Federal Street Boston, MA 02110

Telephone: 617-428-0200

Facsimile: 617-428-7045

F:\50125\50125.101001 Information Disclosure Statement.doc



SUBSTITUTE FORM PTO-1449 (MODIFIED)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Use several sheets if necessary)

Attorney Docket No.

50125/101001

Serial No.

10/530,987

Applicant

Ingeborg Dreher et al.

Filing Date

April 12, 2005

Group

Not yet assigned

(37 C.F.R. § 1.98(b))

**IDS Filed** 

May 4, 2005

		L	J.S. PATENT DOCUMENTS			
Examiner's Initials	Document Number	Publication Date	Patentee or Applicant	Class	Subclass	Filing Date (If Appropriate)
	5,750,825	05/12/98	Yazaki et al.			
	5,698,765	12/16/97	Mak			
<del></del>	5,625,122	04/29/97	Mak			
	5,583,278	12/10/96	Alt et al.		-	
	4,736,866	04/12/88	Leder et al.			
	FOREIG	ON PATENT OF	R PUBLISHED FOREIGN PATENT	APPLICATION	ON	
Examiner's Initials	Document Number	Publication Date	Country or Patent Office	Class	Subclass	Translation (Yes/No)
	WO 01/32855	05/10/01	WIPO			
	WO 98/36052	08/20/98	WIPO			
	WO 97/41232	11/06/97	WIPO			
	WO 97/11689	04/03/97	WIPO			Abstract
	WO 96/26274	08/29/96	WIPO			
	EP 0 944 398 B1	04/07/04	Europe			
	EP 0 889 723 B1	06/05/02	Europe			Claims
	EP 0 916 336 A1	05/19/99	Europe			
	DE 19625049 A1	01/02/98	Germany			No
	OTHER DOCUM	IENTS (INCLUE	DING AUTHOR, TITLE, DATE, PLA	CE OF PUB	LICATION)	
	Behr et al., "Efficien Proc. Natl. Acad. Sc	t gene transfer ci. USA 86: 6982	into mammalian primary endocrine 2-6986 (1989).	cells with lip	opolyamine-c	coated DNA,"
	Beveridge et al. "Ly Lancet 1:788 (1984	mphomas and L ).	ymphoproliferative Lesions Develo	ping Under (	Cyclosporin T	herapy," <i>The</i>
	Branden et al., "A p	eptide nucleic a	cid- nuclear localization signal fusio (1999).	n that media	ates nudear t	ransport of DNA,

EXAMINER	DATE CONSIDERED
EVAMINED, leifel siteties asseidend Day 15 at 1 at 15 at 15	

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	50125/101001	
(MODIFIED)		Serial No.	10/530,987	
INFORMATION DISCLOSURE		Applicant	Ingeborg Dreher et al.	
STATEMEN	T BY APPLICANT heets if necessary)	Filing Date	April 12, 2005	
(Ose several sheets if flecessary)		Group	Not yet assigned	
(37 C.F.R. § 1.98(b))		IDS Filed	May 4, 2005	

Felgner et al., "Enhanced Gene Delivery and Mechanism Studies with a Novel Series of Cationic Lipid Formulations," <i>The Journal of Biological Chemistry</i> 269: 250-261 (1994).  French et al., "The Molecular and Biochemical Characterization of Mutant Monoclonal Antibodies With Increased Antigen Binding," <i>The Journal Of Immunology</i> 146: 2010-2016 (1991).  Giri et al., "Utilization of the β and y chains of the IL-2 receptor by the novel cytokine IL-15," The EMBO Journal 13: 2822-2830 (1994).  Gossen et al., "Inducible gene expression systems for higher eukaryotic cells," <i>Biolechnology</i> 5: 516-520 (1994).  Grabstein et al., "Cloning of a T Cell Growth Factor That Interacts with the β Chain of the Interleukin – 2 Receptor," <i>Science</i> 264: 965-968 (1994).  Huck et al., "Sequence of a human immunoglobulin gamma 3 heavy chain constant region gene: comparison with the other human Cy genes," <i>Nucleic Acids Research</i> 14:1779-1789 (1996).  Khromykh, "Replicon-based vectors of positive strand RNA viruses," <i>Current Opinion in Molecular Therapeutics</i> 2: 555-569 (2000).  Kichler et al., "Influence of Membrane-Active Peptides on Lipospermine/DNA Complex Mediated Gene Transfer," <i>Bioconjugate Chem. B.</i> 213-221, (1997).  Kim et al., "Targeting the IL-15 Receptor with an Antagonist IL-15 Mutant/Fcy2a Protein Blocks Delayed-Type Hypersensitivity," <i>The Journal of Immunology</i> 160: 5742-5748 (1998).  Kriswinkel et al., "L1-5 mRNA expression is up-regulated in blood and corebrospinal fluid mononuclear cells in multiple sclerosis (MS)," <i>Clinical and Experimental Immunology</i> 111:193-197 (1998).  Krawinkel et al., "Comparison of the hinge-coding segments in human immunoglobulin gamma heavy chain genes and the inkage of the gamma 2 and gamma 4 subdass genes," <i>The BMO Journal</i> 1: 403-407 (1982).  Lindemann et al., "Versatile Retrovinus Vector Systems for Regulated Gene Expression In Vitro and In Vivo," <i>Molecular Medicine</i> 3 466-476 (1997).  Mackie et al., "Dose-Related Mechanisms of Immunosuppression Mediated By Murine Anti-CD3 Monoclo			
Antigen Binding.* The Journal Of Immunology 146: 2010-2016 (1991).  Giri et al., "Utilization of the β and γ chains of the IL-2 receptor by the novel cytokine IL-15," The EMBO Journal 13: 2822-2830 (1994).  Gossen et al., "Inducible gene expression systems for higher eukaryotic cells," Biotechnology 5: 516-520 (1994).  Grabstein et al., "Cloning of a T Cell Growth Factor That Interacts with the β Chain of the Interleukin – 2 Receptor," Science 264: 965-968 (1994).  Huck et al., "Sequence of a human immunoglobulin gamma 3 heavy chain constant region gene: comparison with the other human Cγ genes," Nucleic Acids Research 14:1779-1789 (1986).  Khromyth, Replicon-based vectors of positive strand RNA viruses," Current Opinion in Molecular Therapeutics 2: 555-569 (2000).  Kichler et al., "Influence of Membrane-Active Peptides on Lipospermine/DNA Complex Mediated Gene Transfer," Bioconfugate Chem. 8: 213-221, (1997).  Kim et al., "Targeting the IL-15 Receptor with an Antagonist IL-15 Mutant/Fcγ2a Protein Blocks Delayed-Type Hypersensitivity," The Journal of Immunology 160: 5742-5748 (1998).  Kivisakk et al., "L-15 πRNA expression is up-regulated in blood and cerebrospinal fluid mononuclear cells in multiple sclerosis (MS)," Clinical and Experimental Immunology 111:193-197 (1998).  Krawinkel et al., "Comparison of the hinge-coding segments in human immunoglobulin gamma heavy chain genes and the linkage of the gamma 2 and gamma 4 subclass genes," The EMBO Journal 1: 403-407 (1962).  Lindemann et al., "Versatile Retrovirus Vector Systems for Regulated Gene Expression In Vitro and In Vivo," Molecular Medicine 3 465-476 (1997).  Mackie et al., "Dose-Related Mechanisms of Immunosuppression Mediated By Murine Anti-CD3 Monoclonal Antibody in Pancreatic Islet Cell Transplantation and Delayed-Type Hypersensitivity," Transplantation 49:1150-1154 (1990).  Paterson et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of two human anti-Rhesus (D) monoclonal antibidoies, "Immunol			tionic Lipid
13: 2822-2830 (1994).  Gossen et al., "Inducible gene expression systems for higher eukaryotic cells," Biotechnology 5: 516-520 (1994).  Grabstein et al., "Cloning of a T Cell Growth Factor That Interacts with the β Chain of the Interleukin – 2 Receptor," Science 264: 965-968 (1994).  Huck et al., "Sequence of a human immunoglobulin gamma 3 heavy chain constant region gene: comparison with the other human Cγ genes," Nucleic Acids Research 14:1779-1789 (1986).  Khromykh, "Replicon-based vectors of positive strand RNA viruses," Current Opinion in Molecular Therapeutics 2: 555-569 (2000).  Kichler et al., "Influence of Membrane-Active Peptides on Lipospermine/DNA Complex Mediated Gene Transfer," Bioconfugate Chem. 8: 213-221, (1997).  Kim et al., "Targeting the IL-15 Receptor with an Antagonist IL-15 Mutant/Fcγ2a Protein Blocks Delayed-Type Hypersensitivity," The Journal of Immunology 160: 5742-5748 (1998).  Kivisakk et al., "Li-15 mRNA expression is up-regulated in blood and cerebrospinal fluid mononuclear cells in multiple sclerosis (MS)," Clinical and Experimental Immunology 111:193-197 (1998).  Krawinkel et al., "Comparison of the hinge-coding segments in human immunoglobulin gamma heavy chain genes and the linkage of the gamma 2 and gamma 4 subclass genes," The EMBO Journal 1: 403-407 (1982).  Lindemann et al., "Versatile Retrovirus Vector Systems for Regulated Gene Expression In Vitro and In Vivo," Molecular Medicina 3 466-476 (1997).  Mackie et al., "Dose-Related Mechanisms of Immunosuppression Mediated By Murine Anti-CD3 Monocional Antibody in Pancreatic Islet Cell Transplantation and Delayed-Type Hypersensitivity," Transplantation 49:1150-1154 (1990).  Paterson et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of two human anti-Rhesus (D) monocional antibodies, Immunotechnology 4: 37-47 (1998).  Penn et al., "The Changing Pattern of Posttransplant Malignancies" Transplantation Proceedings 23: 1101-1103 (1991).  Petit et al., "Structure-Function Stud		French et al., "The Molecular and Biochemical Characterization of Mutant Monoclonal Antib Antigen Binding," <i>The Journal Of Immunology</i> 146: 2010-2016 (1991).	odies With Increased
Grabstein et al., "Cloning of a T Cell Growth Factor That Interacts with the β Chain of the Interleukin – 2 Receptor," Science 264: 965-968 (1994).  Huck et al., "Sequence of a human immunoglobulin gamma 3 heavy chain constant region gene: comparison with the other human C y genes," Nucleic Acids Research 14:1779-1789 (1986).  Khromykh, "Replicon-based vectors of positive strand RNA viruses," Current Opinion in Molecular Therapeutics 2: 555-569 (2000).  Kichler et al., "Influence of Membrane-Active Peptides on Lipospermine/DNA Complex Mediated Gene Transfer," Bioconjugate Chem. 8: 213-221, (1997).  Kim et al., "Targeting the IL-15 Receptor with an Antagonist IL-15 Mutant/Fcγ2a Protein Blocks Delayed-Type Hypersensitivity," The Journal of Immunology 160: 5742-5748 (1998).  Kivisakk et al., "IL-15 mRNA expression is up-regulated in blood and cerebrospinal fluid mononuclear cells in multiple sclerosis (MS)," Clinical and Experimental Immunology 111:193-197 (1998).  Krawinkel et al., "Comparison of the hinge-coding segments in human immunoglobulin gamma heavy chain genes and the linkage of the gamma 2 and gamma 4 subclass genes," The EMBO Journal 1: 403-407 (1982).  Lindemann et al., "Versatile Retrovirus Vector Systems for Regulated Gene Expression In Vitro and In Vivo," Molecular Medicine 3 468-476 (1997).  Mackie et al., "Dose-Related Mechanisms of Immunosuppression Mediated By Murine Anti-CD3 Monoclonal Antibody in Pancreatic Islet Cell Transplantation and Delayed-Type Hypersensitivity," Transplantation 49:1150-1154 (1990).  Paterson et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of wo human anti-Rhesus (D) monoclonal antibodies," Immunotechnology 4: 37-47 (1998).  Penn et al., "The Changing Pattern of Posttransplant Malignancies" Transplantation Proceedings 23: 1101-1103 (1991).  Petiti et al., "Structure-Function Studies of Interleukin 15 using Site-specific Mutagenesis, Polyethylene Glycol Conjugation, and Homology Modeling," The Journal of Biologic			The EMBO Journal
Receptor," Science 264: 965-968 (1994).  Huck et al., "Sequence of a human immunoglobulin gamma 3 heavy chain constant region gene: comparison with the other human Cry genes," Nucleic Acids Research 14:1779-1789 (1986).  Khromykh, "Replicon-based vectors of positive strand RNA viruses," Current Opinion in Molecular Therapeutics 2: 555-569 (2000).  Kichler et al., "Influence of Membrane-Active Peptides on Lipospermine/DNA Complex Mediated Gene Transfer," Bioconjugate Chem. 8: 213-221, (1997).  Kim et al., "Targeting the IL-15 Receptor with an Antagonist IL-15 Mutant/Fc/2a Protein Blocks Delayed-Type Hypersensitivity," The Journal of Immunology 160: 5742-5748 (1998).  Kivisakk et al., "IL-15 mRNA expression is up-regulated in blood and cerebrospinal fluid mononuclear cells in multiple sclerosis (MS)," Clinical and Experimental Immunology 111:193-197 (1998).  Krawinkel et al., "Comparison of the hinge-coding segments in human immunoglobulin gamma heavy chain genes and the linkage of the gamma 2 and gamma 4 subclass genes," The EMBO Journal 1: 403-407 (1982).  Lindemann et al., "Versatile Retrovirus Vector Systems for Regulated Gene Expression In Vitro and In Vivo," Molecular Medicine 3 46-74 (1997).  Mackie et al., "Dose-Related Mechanisms of Immunosuppression Mediated By Murine Anti-CD3 Monoclonal Antibody in Pancreatic Islet Cell Transplantation and Delayed-Type Hypersensitivity," Transplantation 49:1150-1154 (1990).  Paterson et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of wo human anti-Rhesus (D) monoclonal antibodies," Immunotechnology 4: 37-47 (1998).  Penn et al., "The Changing Pattern of Posttransplant Malignancies" Transplantation Proceedings 23: 1101-1103 (1991).  Petiti et al., "Structure-Function Studies of Interleukin 15 using Site-specific Mutagenesis, Polyethylene Glycol Conjugation, and Homology Modeling," The Journal of Biological Chemistry 272(4): 2312-2318 (1997).  Pink et al., "Human Immunoglobulin Subclasses-Partial Amino Acid Sequen		Gossen et al., " Inducible gene expression systems for higher eukaryotic cells," Biotechnology	gy 5: 516-520 (1994).
with the other human Cγ genes," Nucleic Acids Research 14:1779-1789 (1986).  Khromykh, "Replicon-based vectors of positive strand RNA viruses," Current Opinion in Molecular Therapeutics 2: 555-559 (2000).  Kichler et al., "Influence of Membrane-Active Peptides on Lipospermine/DNA Complex Mediated Gene Transfer," Bioconjugate Chem. 8: 213-221, (1997).  Kim et al., "Targeting the IL-15 Receptor with an Antagonist IL-15 Mutant/Fcγ2a Protein Blocks Delayed-Type Hypersensitivity," The Journal of Immunology 160: 5742-5748 (1998).  Kivisakk et al., "IL-15 mRNA expression is up-regulated in blood and cerebrospinal fluid mononuclear cells in multiple sclerosis (MS)," Cimical and Experimental Immunology 111:193-197 (1998).  Krawinkel et al., "Comparison of the hinge-coding segments in human immunoglobulin gamma heavy chain genes and the linkage of the gamma 2 and gamma 4 subclass genes," The EMBO Journal 1: 403-407 (1982).  Lindemann et al., "Versatile Retrovirus Vector Systems for Regulated Gene Expression In Vitro and In Vivo," Molecular Medicine 3 466-476 (1997).  Mackie et al., "Dose-Related Mechanisms of Immunosuppression Mediated By Murine Anti-CD3 Monoclonal Antibody in Pancreatic Islet Cell Transplantation and Delayed-Type Hypersensitivity," Transplantation 49:1150-1154 (1990).  Paterson et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of two human anti-Rhesus (D) monoclonal antibodies," Immunotechnology 4: 37-47 (1998).  Penn et al., "The Changing Pattern of Posttransplant Malignancies" Transplantation Proceedings 23: 1101-1103 (1991).  Pettil et al., "Structure-Function Studies of Interleukin 15 using Site-specific Mutagenesis, Polyethylene Glycol Conjugation, and Homology Modeling," The Journal of Biological Chemistry 272(4): 2312-2318 (1997).  Pink et al., "The Influence of Endosome-disruptive Peptides on Gene Transfer Using Synthetic Virus-like Gene Transfer Systems," The Journal of Biological Chemistry 28(17) 12918-1294 (1994).  Rückert et al., "Li-1			erleukin – 2
2: 555-569 (2000).  Kichler et al., "Influence of Membrane-Active Peptides on Lipospermine/DNA Complex Mediated Gene Transfer," <i>Bioconjugate Chem.</i> 8: 213-221, (1997).  Kim et al., "Targeting the IL-15 Receptor with an Antagonist IL-15 Mutant/Fcy2a Protein Blocks Delayed-Type Hypersensitivity," <i>The Journal of Immunology</i> 160: 5742-5748 (1998).  Kivisakk et al., "IL-15 mRNA expression is up-regulated in blood and cerebrospinal fluid mononuclear cells in multiple sclerosis (MS)," <i>Clinical and Experimental Immunology</i> 111:193-197 (1998).  Krawinkel et al., "Comparison of the hinge-coding segments in human immunoglobulin gamma heavy chain genes and the linkage of the gamma 2 and gamma 4 subclass genes," <i>The EMBO Journal</i> 1: 403-407 (1982).  Lindemann et al., "Versatile Retrovirus Vector Systems for Regulated Gene Expression In Vitro and In Vivo," <i>Molecular Medicine</i> 3 466-476 (1997).  Mackie et al., "Dose-Related Mechanisms of Immunosuppression Mediated By Murine Anti-CD3 Monocdonal Antibody in Pancreatic Islet Cell Transplantation and Delayed-Type Hypersensitivity," <i>Transplantation</i> 49:1150-1154 (1990).  Paterson et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of two human anti-Rhesus (D) monocdonal antibodies," <i>Immunotechnology</i> 4: 37-47 (1998).  Penn et al., "The Changing Pattern of Posttransplant Malignancies" <i>Transplantation Proceedings</i> 23: 1101-1103 (1991).  Petit et al., "Structure-Function Studies of Interleukin 15 using Site-specific Mutagenesis, Polyethylene Glycol Conjugation, and Homology Modeling," <i>The Journal of Biological Chemistry</i> 272(4): 2312-2318 (1997).  Pink et al., "Human Immunoglobulin Subclasses-Partial Amino Acid Sequence Of The Constant Region Of A y4 Chain," <i>Biochem. J.</i> 117:33-47 (1970).  Plank et al., "The Influence of Endosome-disruptive Peptides on Gene Transfer Using Synthetic Virus-like Gene Transfer Systems," <i>The Journal of Biological Chemistry</i> 269(17) 12918-12924 (1998).  Sakai et al., "IL-15-IgG2b fusion prote			gene: comparison
Bioconjugate Chem. 8: 213-221, (1997).  Kim et al., "Targeting the IL-15 Receptor with an Antagonist IL-15 Mutant/Fcγ2a Protein Blocks Delayed-Type Hypersensitivity," The Journal of Immunology 160: 5742-5748 (1998).  Kivisakk et al., "IL-15 mRNA expression is up-regulated in blood and cerebrospinal fluid mononuclear cells in multiple sclerosis (MS)," Clinical and Experimental Immunology 111:193-197 (1998).  Krawinkel et al., "Comparison of the hinge-coding segments in human immunoglobulin gamma heavy chain genes and the linkage of the gamma 2 and gamma 4 subclass genes," The EMBO Journal 1: 403-407 (1982).  Lindemann et al., "Versatile Retrovirus Vector Systems for Regulated Gene Expression In Vitro and In Vivo," Molecular Medicine 3 466-476 (1997).  Mackie et al., "Dose-Related Mechanisms of Immunosuppression Mediated By Murine Anti-CD3 Monoclonal Antibody in Pancreatic Islet Cell Transplantation and Delayed-Type Hypersensitivity," Transplantation 49:1150-1154 (1990).  Paterson et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of two human anti-Rhesus (D) monoclonal antibodies," Immunotechnology 4: 37-47 (1998).  Penn et al., "The Changing Pattern of Posttransplant Malignancies" Transplantation Proceedings 23: 1101-1103 (1991).  Pettit et al., "Structure-Function Studies of Interleukin 15 using Site-specific Mutagenesis, Polyethylene Glycol Conjugation, and Homology Modeling," The Journal of Biological Chemistry 272(4): 2312-2318 (1997).  Pink et al., "Human Immunoglobulin Subclasses-Partial Amino Acid Sequence Of The Constant Region Of A γ4 Chain," Biochem. J. 117:33-47 (1970).  Plank et al., "The Influence of Endosome-disruptive Peptides on Gene Transfer Using Synthetic Virus-like Gene Transfer Systems," The Journal of Biological Chemistry 269(17) 12918-12924 (1994).  Rückert et al., "Interleukin 15 Activity in Rectal Mucosa of Inflammatory Bowel Disease," Gastroenterology 114:1237-1243 (1998).  Schwartz et al., "Synthetic DNA-compacting peptides derive			ecular Therapeutics
Hypersensitivity," The Journal of Immunology 160: 5742-5748 (1998).  Kivisakk et al., "IL-15 mRNA expression is up-regulated in blood and cerebrospinal fluid mononuclear cells in multiple sclerosis (MS)," Clinical and Experimental Immunology 111:193-197 (1998).  Krawinkel et al., "Comparison of the hinge-coding segments in human immunoglobulin gamma heavy chain genes and the linkage of the gamma 2 and gamma 4 subclass genes," The EMBO Journal 1: 403-407 (1982).  Lindemann et al., "Versatile Retrovirus Vector Systems for Regulated Gene Expression In Vitro and In Vivo," Molecular Medicine 3 466-476 (1997).  Mackie et al., "Dose-Related Mechanisms of Immunosuppression Mediated By Murine Anti-CD3 Monoclonal Antibody in Pancreatic Islet Cell Transplantation and Delayed-Type Hypersensitivity," Transplantation 49:1150-1154 (1990).  Paterson et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of two human anti-Rhesus (D) monoclonal antibodies," Immunotechnology 4: 37-47 (1998).  Penn et al., "The Changing Pattern of Posttransplant Malignancies" Transplantation Proceedings 23: 1101-1103 (1991).  Pettit et al., "Structure-Function Studies of Interleukin 15 using Site-specific Mutagenesis, Polyethylene Glycol Conjugation, and Homology Modeling," The Journal of Biological Chemistry 272(4): 2312-2318 (1997).  Pink et al., "Human Immunoglobulin Subclasses-Partial Amino Acid Sequence Of The Constant Region Of A y4 Chain," Biochem. J. 117:33-47 (1970).  Plank et al., "The Influence of Endosome-disruptive Peptides on Gene Transfer Using Synthetic Virus-like Gene Transfer Systems," The Journal of Biological Chemistry 269(17) 12918-12924 (1994).  Rückert et al., "IL-15-IgG2b fusion protein accelerates and enhances a Th2 but not a Th1 immune response in vivo, while IL-2-IgG2b fusion protein inhibits both," Eur. J. Immunology 28: 3312-3320 (1998).  Schwartz et al., "Interleukin 15 Activity in Rectal Mucosa of Inflammatory Bowel Disease," Gastroenterology 114:1237-1243 (1998).  E			iated Gene Transfer,"
multiple sclerosis (MS)," Clinical and Experimental Immunology 111:193-197 (1998).  Krawinkel et al., "Comparison of the hinge-coding segments in human immunoglobulin gamma heavy chain genes and the linkage of the gamma 2 and gamma 4 subclass genes," The EMBO Journal 1: 403-407 (1982).  Lindemann et al., "Versatile Retrovirus Vector Systems for Regulated Gene Expression In Vitro and In Vivo," Molecular Medicine 3 466-476 (1997).  Mackie et al., "Dose-Related Mechanisms of Immunosuppression Mediated By Murine Anti-CD3 Monoclonal Antibody in Pancreatic Islet Cell Transplantation and Delayed-Type Hypersensitivity," Transplantation 49:1150-1154 (1990).  Paterson et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of two human anti-Rhesus (D) monoclonal antibodies," Immunotechnology 4: 37-47 (1998).  Penn et al., "The Changing Pattern of Posttransplant Malignancies" Transplantation Proceedings 23: 1101-1103 (1991).  Petiti et al., "Structure-Function Studies of Interleukin 15 using Site-specific Mutagenesis, Polyethylene Glycol Conjugation, and Homology Modeling," The Journal of Biological Chemistry 272(4): 2312-2318 (1997).  Pink et al., "Human Immunoglobulin Subclasses-Partial Amino Acid Sequence Of The Constant Region Of A y4 Chain," Biochem. J. 117:33-47 (1970).  Plank et al., "The Influence of Endosome-disruptive Peptides on Gene Transfer Using Synthetic Virus-like Gene Transfer Systems," The Journal of Biological Chemistry 259(17) 12918-12924 (1994).  Rückert et al., "IL-15-IgG2b fusion protein accelerates and enhances a Th2 but not a Th1 immune response in vivo, while IL-2-IgG2b fusion protein inhibits both," Eur. J. Immunology 28: 3312-3320 (1998).  Sakai et al., "Interleukin 15 Activity in Rectal Mucosa of Inflammatory Bowel Disease," Gastroenterology 114:1237-1243 (1998).  Schwartz et al., "Synthetic DNA-compacting peptides derived from human sequence enhance cationic lipid-mediated gene transfer in vitro and in vivo," Gene Therapy 6: 282-292 (1999).		Kim et al., "Targeting the IL-15 Receptor with an Antagonist IL-15 Mutant/Fcγ2a Protein Blo Hypersensitivity," <i>The Journal of Immunology</i> 160: 5742-5748 (1998).	cks Delayed-Type
genes and the linkage of the gamma 2 and gamma 4 subclass genes," <i>The EMBO Journal</i> 1: 403-407 (1982).  Lindemann et al., "Versatile Retrovirus Vector Systems for Regulated Gene Expression In Vitro and In Vivo," <i>Molecular Medicine</i> 3 466-476 (1997).  Mackie et al., " Dose-Related Mechanisms of Immunosuppression Mediated By Murine Anti-CD3 Monoclonal Antibody in Pancreatic Islet Cell Transplantation and Delayed-Type Hypersensitivity," <i>Transplantation</i> 49:1150-1154 (1990).  Paterson et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of two human anti-Rhesus (D) monoclonal antibodies," <i>Immunotechnology</i> 4: 37-47 (1998).  Penn et al., "The Changing Pattern of Posttransplant Malignancies" <i>Transplantation Proceedings</i> 23: 1101-1103 (1991).  Pettit et al., "Structure-Function Studies of Interleukin 15 using Site-specific Mutagenesis, Polyethylene Glycol Conjugation, and Homology Modeling," <i>The Journal of Biological Chemistry</i> 272(4): 2312-2318 (1997).  Pink et al., "Human Immunoglobulin Subclasses-Partial Amino Acid Sequence Of The Constant Region Of A γ4 Chain," <i>Biochem. J.</i> 117:33-47 (1970).  Plank et al., "The Influence of Endosome-disruptive Peptides on Gene Transfer Using Synthetic Virus-like Gene Transfer Systems," <i>The Journal of Biological Chemistry</i> 269(17) 12918-12924 (1994).  Rückert et al., "IL-15-IgG2b fusion protein accelerates and enhances a Th2 but not a Th1 immune response in vivo, while IL-2-IgG2b fusion protein inhibits both," <i>Eur. J. Immunology</i> 28: 3312-3320 (1998).  Sakai et al., "Interleukin 15 Activity in Rectal Mucosa of Inflammatory Bowel Disease," <i>Gastroenterology</i> 114:1237-1243 (1998).  Schwartz et al., "Synthetic DNA-compacting peptides derived from human sequence enhance cationic lipid-mediated gene transfer in vitro and in vivo," <i>Gene Therapy</i> 6: 282-292 (1999).		Kivisakk et al., "IL-15 mRNA expression is up-regulated in blood and cerebrospinal fluid mormultiple sclerosis (MS)," Clinical and Experimental Immunology 111:193-197 (1998).	nonuclear cells in
Molecular Medicine 3 466-476 (1997).  Mackie et al., "Dose-Related Mechanisms of Immunosuppression Mediated By Murine Anti-CD3 Monoclonal Antibody in Pancreatic Islet Cell Transplantation and Delayed-Type Hypersensitivity," Transplantation 49:1150-1154 (1990).  Paterson et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of two human anti-Rhesus (D) monoclonal antibodies," Immunotechnology 4: 37-47 (1998).  Penn et al., "The Changing Pattern of Posttransplant Malignancies" Transplantation Proceedings 23: 1101-1103 (1991).  Pettit et al., "Structure-Function Studies of Interleukin 15 using Site-specific Mutagenesis, Polyethylene Glycol Conjugation, and Homology Modeling," The Journal of Biological Chemistry 272(4): 2312-2318 (1997).  Pink et al., "Human Immunoglobulin Subclasses-Partial Amino Acid Sequence Of The Constant Region Of A γ4 Chain," Biochem. J. 117:33-47 (1970).  Plank et al., "The Influence of Endosome-disruptive Peptides on Gene Transfer Using Synthetic Virus-like Gene Transfer Systems," The Journal of Biological Chemistry 269(17) 12918-12924 (1994).  Rückert et al., "IL-15-IgG2b fusion protein accelerates and enhances a Th2 but not a Th1 immune response in vivo, while IL-2-IgG2b fusion protein inhibits both," Eur. J. Immunology 28: 3312-3320 (1998).  Sakai et al., "Interleukin 15 Activity in Rectal Mucosa of Inflammatory Bowel Disease," Gastroenterology 114:1237-1243 (1998).  Schwartz et al., "Synthetic DNA-compacting peptides derived from human sequence enhance cationic lipid-mediated gene transfer in vitro and in vivo," Gene Therapy 6: 282-292 (1999).		Krawinkel et al., "Comparison of the hinge-coding segments in human immunoglobulin gam genes and the linkage of the gamma 2 and gamma 4 subclass genes," The EMBO Journal	ma heavy chain 1: 403-407 (1982).
Antibody in Pancreatic Islet Cell Transplantation and Delayed-Type Hypersensitivity," Transplantation 49:1150-1154 (1990).  Paterson et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in biological activity of two human anti-Rhesus (D) monoclonal antibodies," Immunotechnology 4: 37-47 (1998).  Penn et al., "The Changing Pattern of Posttransplant Malignancies" Transplantation Proceedings 23: 1101-1103 (1991).  Pettit et al., "Structure-Function Studies of Interleukin 15 using Site-specific Mutagenesis, Polyethylene Glycol Conjugation, and Homology Modeling," The Journal of Biological Chemistry 272(4): 2312-2318 (1997).  Pink et al., "Human Immunoglobulin Subclasses-Partial Amino Acid Sequence Of The Constant Region Of A γ4 Chain," Biochem. J. 117:33-47 (1970).  Plank et al., "The Influence of Endosome-disruptive Peptides on Gene Transfer Using Synthetic Virus-like Gene Transfer Systems," The Journal of Biological Chemistry 269(17) 12918-12924 (1994).  Rückert et al., "IL-15-IgG2b fusion protein accelerates and enhances a Th2 but not a Th1 immune response in vivo, while IL-2-IgG2b fusion protein inhibits both," Eur. J. Immunology 28: 3312-3320 (1998).  Sakai et al., "Interleukin 15 Activity in Rectal Mucosa of Inflammatory Bowel Disease," Gastroenterology 114:1237-1243 (1998).  Schwartz et al., "Synthetic DNA-compacting peptides derived from human sequence enhance cationic lipid-mediated gene transfer in vitro and in vivo," Gene Therapy 6: 282-292 (1999).		Lindemann et al., "Versatile Retrovirus Vector Systems for Regulated Gene Expression In V Molecular Medicine 3 466-476 (1997).	itro and In Vivo,"
two human anti-Rhesus (D) monoclonal antibodies," Immunotechnology 4: 37-47 (1998).  Penn et al., "The Changing Pattern of Posttransplant Malignancies" Transplantation Proceedings 23: 1101-1103 (1991).  Pettit et al., "Structure-Function Studies of Interleukin 15 using Site-specific Mutagenesis, Polyethylene Glycol Conjugation, and Homology Modeling," The Journal of Biological Chemistry 272(4): 2312-2318 (1997).  Pink et al., "Human Immunoglobulin Subclasses-Partial Amino Acid Sequence Of The Constant Region Of A γ4 Chain," Biochem. J. 117:33-47 (1970).  Plank et al., "The Influence of Endosome-disruptive Peptides on Gene Transfer Using Synthetic Virus-like Gene Transfer Systems," The Journal of Biological Chemistry 269(17) 12918-12924 (1994).  Rückert et al., "IL-15-IgG2b fusion protein accelerates and enhances a Th2 but not a Th1 immune response in vivo, while IL-2-IgG2b fusion protein inhibits both," Eur. J. Immunology 28: 3312-3320 (1998).  Sakai et al., "Interleukin 15 Activity in Rectal Mucosa of Inflammatory Bowel Disease," Gastroenterology 114:1237-1243 (1998).  Schwartz et al., "Synthetic DNA-compacting peptides derived from human sequence enhance cationic lipid-mediated gene transfer in vitro and in vivo," Gene Therapy 6: 282-292 (1999).		Antibody in Pancreatic Islet Cell Transplantation and Delayed-Type Hypersensitivity." Transplantation and Delayed-Type Hypersensitivity.	-CD3 Monodonal plantation 49:1150-
(1991).  Pettit et al., "Structure-Function Studies of Interleukin 15 using Site-specific Mutagenesis, Polyethylene Glycol Conjugation, and Homology Modeling," <i>The Journal of Biological Chemistry</i> 272(4): 2312-2318 (1997).  Pink et al., "Human Immunoglobulin Subclasses-Partial Amino Acid Sequence Of The Constant Region Of A γ4 Chain," <i>Biochem. J.</i> 117:33-47 (1970).  Plank et al., "The Influence of Endosome-disruptive Peptides on Gene Transfer Using Synthetic Virus-like Gene Transfer Systems," <i>The Journal of Biological Chemistry</i> 269(17) 12918-12924 (1994).  Rückert et al., "IL-15-IgG2b fusion protein accelerates and enhances a Th2 but not a Th1 immune response in vivo, while IL-2-IgG2b fusion protein inhibits both," <i>Eur. J. Immunology</i> 28: 3312-3320 (1998).  Sakai et al., "Interleukin 15 Activity in Rectal Mucosa of Inflammatory Bowel Disease," <i>Gastroenterology</i> 114:1237-1243 (1998).  Schwartz et al., "Synthetic DNA-compacting peptides derived from human sequence enhance cationic lipid-mediated gene transfer in vitro and in vivo," <i>Gene Therapy</i> 6: 282-292 (1999).		Paterson et al., "Variation in IgG1 heavy chain allotype does not contribute to differences in two human anti-Rhesus (D) monoclonal antibodies," <i>Immunotechnology</i> 4: 37-47 (1998).	biological activity of
Conjugation, and Homology Modeling," <i>The Journal of Biological Chemistry</i> 272(4): 2312-2318 (1997).  Pink et al., "Human Immunoglobulin Subclasses-Partial Amino Acid Sequence Of The Constant Region Of A y4 Chain," <i>Biochem. J.</i> 117:33-47 (1970).  Plank et al., "The Influence of Endosome-disruptive Peptides on Gene Transfer Using Synthetic Virus-like Gene Transfer Systems," <i>The Journal of Biological Chemistry</i> 269(17) 12918-12924 (1994).  Rückert et al., "IL-15-IgG2b fusion protein accelerates and enhances a Th2 but not a Th1 immune response in vivo, while IL-2-IgG2b fusion protein inhibits both," <i>Eur. J. Immunology</i> 28: 3312-3320 (1998).  Sakai et al., "Interleukin 15 Activity in Rectal Mucosa of Inflammatory Bowel Disease," <i>Gastroenterology</i> 114:1237-1243 (1998).  Schwartz et al., "Synthetic DNA-compacting peptides derived from human sequence enhance cationic lipid-mediated gene transfer in vitro and in vivo," <i>Gene Therapy</i> 6: 282-292 (1999).			dings 23: 1101-1103
Chain," Biochem. J. 117:33-47 (1970).  Plank et al., "The Influence of Endosome-disruptive Peptides on Gene Transfer Using Synthetic Virus-like Gene Transfer Systems," The Journal of Biological Chemistry 269(17) 12918-12924 (1994).  Rückert et al., "IL-15-IgG2b fusion protein accelerates and enhances a Th2 but not a Th1 immune response in vivo, while IL-2-IgG2b fusion protein inhibits both," Eur. J. Immunology 28: 3312-3320 (1998).  Sakai et al., "Interleukin 15 Activity in Rectal Mucosa of Inflammatory Bowel Disease," Gastroenterology 114:1237-1243 (1998).  Schwartz et al., "Synthetic DNA-compacting peptides derived from human sequence enhance cationic lipid-mediated gene transfer in vitro and in vivo," Gene Therapy 6: 282-292 (1999).			
Transfer Systems," The Journal of Biological Chemistry 269(17) 12918-12924 (1994).  Rückert et al., "IL-15-IgG2b fusion protein accelerates and enhances a Th2 but not a Th1 immune response in vivo, while IL-2-IgG2b fusion protein inhibits both," Eur. J. Immunology 28: 3312-3320 (1998).  Sakai et al., "Interleukin 15 Activity in Rectal Mucosa of Inflammatory Bowel Disease," Gastroenterology 114:1237-1243 (1998).  Schwartz et al., "Synthetic DNA-compacting peptides derived from human sequence enhance cationic lipid-mediated gene transfer in vitro and in vivo," Gene Therapy 6: 282-292 (1999).  EXAMINER			tant Region Of A γ4
vivo, while IL-2-IgG2b fusion protein inhibits both," <i>Eur. J. Immunology</i> 28: 3312-3320 (1998).  Sakai et al., "Interleukin 15 Activity in Rectal Mucosa of Inflammatory Bowel Disease," <i>Gastroenterology</i> 114:1237-1243 (1998).  Schwartz et al., "Synthetic DNA-compacting peptides derived from human sequence enhance cationic lipid-mediated gene transfer in vitro and in vivo," <i>Gene Therapy</i> 6: 282-292 (1999).  EXAMINER		Plank et al., "The Influence of Endosome-disruptive Peptides on Gene Transfer Using Synth Transfer Systems," <i>The Journal of Biological Chemistry</i> 269(17) 12918-12924 (1994).	etic Virus-like Gene
114:1237-1243 (1998).  Schwartz et al., "Synthetic DNA-compacting peptides derived from human sequence enhance cationic lipid-mediated gene transfer in vitro and in vivo," <i>Gene Therapy</i> 6: 282-292 (1999).  EXAMINER  DATE		Rückert et al., "IL-15-lgG2b fusion protein accelerates and enhances a Th2 but not a Th1 im vivo, while IL-2-lgG2b fusion protein inhibits both," Eur. J. Immunology 28: 3312-3320 (1998)	mune response in
mediated gene transfer in vitro and in vivo," <i>Gene Therapy</i> 6: 282-292 (1999).  EXAMINER  DATE			oenterology .
DAILE .		Schwartz et al., "Synthetic DNA-compacting peptides derived from human sequence enhancemediated gene transfer in vitro and in vivo," Gene Therapy 6: 282-292 (1999).	ce cationic lipid-
	EXAMINER		

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.

Sheet <u>3</u> of <u>3</u>

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	50125/101001	
(MODIFIED)		Serial No.	10/530,987	
INFORMATION DISCLOSURE		Applicant	Ingeborg Dreher et al.	
STATEMEN	T BY APPLICANT sheets if necessary)	Filing Date	April 12, 2005	
(coo corolar oncoo ii nooccaary)		Group	Not yet assigned	
(37 C.F.R. § 1.98(b))		IDS Filed	May 4, 2005	

Shlomchik et al., "The role of clonal selection and somatic mutation in autoimmunity," <i>Nature</i> 328: 805-811 (1987).
Sikorav et al., "Structure of the constant and 3' untranslated regions of the murineBalb/cγ2a heavy chain messenger RNA," <i>Nucleic Acids Research</i> 8: 3143-3155 (1980).
Springer et al., "VEGF Gene Delivery to Muscle: Potential Role for Vasculogenesis in Adults," <i>Molecular Cell</i> 2:549-558 (1998).
Tinubu et al., "Humanized Antibody Directed to the IL-2 Receptor β-Chain Prolongs Primate Cardiac Allograft Survival," <i>The Journal of Immunology</i> 153:4330-4338 (1994).
 Uhlmann et al., "Antisense Oligonucleotides: A New Therapeutic Principle," <i>Chemical Reviews</i> 90:544-584 (1990).
 Wang et al., "The Primary Structure of a Human IgG2 Heavy Chain:Genetic, Evolutionary, and Functional Implications" <i>The Journal of Immunology</i> 125(3): 1048-1054 (1980).
Wels et al., "Structural analysis of the murine IgG3 constant region gene," <i>The EMBO Journal</i> 3: 2041-2046 (1984).
Zheng et al., "IL-2 Receptor-Targeted Cytolytic IL-2/Fc Fusion Protein Treatment Blocks Diabetogenic Autoimmunity in Nonobese Diabetic Mice," <i>The Journal of Immunology</i> 163: 4041-4048 (1999).
Zhou et al., "DNA transfection mediated by cationic liposomes containing lipopolylysine:characterization and mechanism of action," <i>Biochimica et Biophysica Acta</i> 1189: 195-203 (1994).

· ·	· · · · · · · · · · · · · · · · · · ·	
EXAMINER		DATE
	·	CONSIDERED

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.